





Our mobile mixing equipment are the answer of our company to the clients' demand of versatile equipment which can be adapted to the requirement of simplicity, with the most cutting-edge technology and accomplishing all safety and robustness standards from **M.LORENZANA**.

The equipment is composed by a mixing drum, powered by diesel and/or electrical engine, in different presentations for matching to any chassis that our clients could have.



Equipped with a high pressure pump system for cleaning purposes which is essential in a fine maintenance.

This type of mixer responds to the needs of customers looking for agility and good performance in a simple unit with easy maintenance. The optimum use of its potential makes it to be on top of our range.



	A	B	C	D
ema ₇	1,600mm	3,700mm	1,400mm	1,400mm
ema ₂	1,890mm	4,740mm	1,710mm	1,710mm
ema ₃	1,955mm	5,000mm	1,710mm	1,710mm
ema ₄	2,115mm	5,238mm	1,750mm	1,710mm
ema ₅	2,240mm	5,550mm	1,900mm	1,710mm



SMALL DIMENSIONS BIG FEATURES

The unit is provided in different versions, according to the mixing requests that our customers demand.

EASY TO TRANSPORT

In this global world, forwarding equipment in a fast and safe way has become a need an obligatory feature.

Our “EMA” equipment is working in such different places as Angola, Mozambique, Brazil, Italy... No need of more introductions; It is the answer to your requirements in civil Works with no doubt.



BRAND		C.O.C.				
MODEL		Ema 1	Ema 2	Ema 3	Ema 4	Ema 5
OUTPUT CAPACITY		1m ³	2m ³	3m ³	4m ³	5m ³
DRUM CAPACITY		1.400 Lt	2.900 Lt.	4.200 Lt.	5.100 Lt.	6.200 Lt.
MOTOR	DIESEL	YES	YES	YES	YES	YES
	ELECTRIC	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL
	COOLING	WATER	WATER	WATER	WATER	WATER
DRUM		DOUBLE BLADE				
DRUM MOVEMENT		HYDRAULIC IN BOTH DIRECTIONS				
POURING CHUTE		SWIVELLING AND ADJUSTABLE				
CYCLE		7 / 10 min				
ELECTRICAL SYSTEM		12V BATTERY				
PUMP FOR DRUM ROTATION		HYDRAULIC ACT. MOUNTED ON DIESEL ENGINE				
PUMP FOR SERVICES		APPLIED TO THE PUMP FOR DRUM ROTATION				
MOTOR FOR DRUM ROTATION		APPLIED TO THE DRUM REDUCER				
MOTOR FOR WATER PUMP		APPLIED TO THE WATER PUMP				
WATER EQUIPMENT		HYDRAULIC ACT. LITER COUNTER AND HOSE				
WEIGHT		2,000 Kgs.	2,300 Kgs.	2,400 Kgs.	3,000 Kgs.	4,000 Kgs.
HYDRAULIC OIL TANK		150 Lt.	200 Lt.	200 Lt.	200 Lt.	200 Lt.
WATER TANK		300 Lt.	750 Lt.	750 Lt.	750 Lt.	750 Lt.
FUEL TANK		65 Lt.	85 Lt.	85 Lt.	85 Lt.	85 Lt.

Due to the constant process of improvement at factory, all data are subject to modification without prior notice, being merely illustrative all data in this catalogue.

MADRID: Ctra de Valencia, Km 19,200. 28524 RIVAS VACIAMADRID (MADRID). FAX: +34916701005. e-mail:madrid@mlorenzana.com

LEÓN: Pol. Ind. Villacedré. 24009 VILLACEDRÉ (LEÓN). FAX: +34987849036. e-mail:leon@mlorenzana.com

www.mlorenzana.com +34 902 151 236





REF CAT: 00.EM.00.13.ES.02

